

Recuperador

Insertable / Insert à Bois/ Wood Insert

Cristal 69

Fundição

Fundición / Fonte / Cast Iron



CARACTERÍSTICAS

Características / Caractéristiques

Technical Specifications



Recuperador

Insertable / Insert à Bois / Wood Insert

Cristal 69

Fundição / Fundición / Fonte / Cast Iron



Classe Energética
Clase energética
Classe énergétique
Energy class

A+

Potência
Potencia
Puissance
Power

9,3kw

Rendimento
Rendimiento
Rendement
Performance

82%

Dimensões
Dimensiones
Dimensions
Dimensions

690x548x427 (AxBxC)

Diâmetro saída de fumos
Diámetro salida de humos
Diamètre de sortie de fumée
Diameter of smoke output


180mm

Consumo
Consumo
Consommation
Consumption

2,50kg/h

Peso
Peso
Poids
Weight


136kg



DIMENSÕES / DIMENSIONES / DIMENSIONS / DIMENSIONS

A	B	C	D	E	F
690mm	548mm	427mm	131mm	496mm	633mm

AROS OPCIONAIS / MARCOS OPCIONALES / CADRES OPTIONNELS / FRAME OPTIONS



Aro 51mm 3 lados

Aro 51mm 4 lados


Aro 81mm 3 lados

Aro 81mm 4 lados

Aro 100mm em vidro

CARACTERÍSTICAS

Características / Caractéristiques
Technical Specifications



Recuperador
Insertable / Insert à Bois / Wood Insert

Cristal 78

Fundição / Fundición / Fonte / Cast Iron



Classe Energética
Clase energética
Classe énergétique
Energy class

A+

Potência
Potencia
Puissance
Power

9,35kw

Rendimento
Rendimiento
Rendement
Performance

82%

Dimensões
Dimensiones
Dimensions
Dimensions

780x548x477 (AxBxC)

Diâmetro saída de fumos
Diámetro salida de humos
Diamètre de sortie de fumée
Diameter of smoke output


180mm

Consumo
Consumo
Consommation
Consumption

2,65kg/h

Peso
Peso
Poids
Weight


159kg




MEDIDAS

A 780mm | B 548mm | C 477mm | D 151mm | E 487mm | F 723mm


AROS OPCIONAIS / MARCOS OPCIONALES / CADRES OPTIONNELS / FRAME OPTIONS




Aro 51mm 3 lados




Aro 51mm 4 lados



Aro 81mm 3 lados




Aro 81mm 4 lados



Aro 100mm em vidro

CARACTERÍSTICAS

Características / Caractéristiques
Technical Specifications



Recuperador
Insertable / Insert à Bois / Wood Insert
Cristal 88
Fundição / Fundición / Fonte / Cast Iron



Classe Energética
Clase energética
Classe énergétique
Energy class

Potência
Potencia
Puissance
Power

9,45kw

Rendimento
Rendimiento
Rendement
Performance

82%

Dimensões
Dimensiones
Dimensions
Dimensions

880x552x477 (AxBxC)

Diâmetro saída de fumos
Diámetro salida de humos
Diamètre de sortie de fumée
Diameter of smoke output


200mm

Consumo
Consumo
Consommation
Consumption

2,7kg/h

Peso
Peso
Poids
Weight


175kg



DIMENSÕES / DIMENSIONES / DIMENSIONS / DIMENSIONS

A	B	C	D	E	F
880mm	552mm	477mm	161mm	487mm	823mm

AROS OPCIONAIS / MARCOS OPCIONALES / CADRES OPTIONNELS / FRAME OPTIONS



Recuperador

Insertable / Insert à Bois/ Wood Insert


Cristal 98 Fundação

Fundición / Fonte / Cast Iron







CARACTERÍSTICAS

Características / Caractéristiques
Technical Specifications



Recuperador
Insertable / Insert à Bois / Wood Insert
Cristal 98
Fundição / Fundición / Fonte / Cast Iron



Classe Energética
Clase energética
Classe énergétique
Energy class

A+

Potência
Potencia
Puissance
Power

9,5kw

Rendimento
Rendimiento
Rendement
Performance

82%

Dimensões
Dimensiones
Dimensions
Dimensions

980x552x477 (AxBxC)

Diâmetro saída de fumos
Diámetro salida de humos
Diamètre de sortie de fumée
Diameter of smoke output

200mm

Consumo
Consumo
Consommation
Consumption

2,7kg/h


Peso
Peso
Poids
Weight

193kg


DIMENSÕES / DIMENSIONES / DIMENSIONS / DIMENSIONS

A	B	C	D	E	F
980mm	552mm	477mm	161mm	487mm	923mm


AROS OPCIONAIS / MARCOS OPCIONALES / CADRES OPTIONNELS / FRAME OPTIONS




Aro 51mm 3 lados




Aro 51mm 4 lados



Aro 81mm 3 lados



Aro 81mm 4 lados



Aro 100mm em vidro